

# Dr. David Woodbury

## **STOP MEDICATION LIST FOR SURGERY**

- The following medications are to be stopped **ONE WEEK** before your surgery:
  - Xarelto(Rivaroxaban)
  - Eliquis (Apixaban)
  - Coumadin (Warfarin)
  - Plavix (clopidogrel)
  - Fish Oil
  - Aspirin
  - Pradaxa (Dabigatran Etexilate)
  - Effient (Prasugrel)
  - Brilinta(Ticagrelor)
  - Arixtra (Fondaparinux)
  - Jantoven (Warfarin)
  - Lovenox (Enoxaparin)
  - Fragmin (Dalteparin)
- ALL NSAIDs (anti-inflammatories) to include over the counter and prescription medications listed below must be stopped **1 WEEK BEFORE SURGERY:**
  - Advil
  - Alieve
  - Naproxyn/Naprosyn
  - Motrin
  - Ibuprofen
  - Celebrex (Celecoxib-Let us know if you are on this, may not have to stop)
  - Mobic (Meloxicam)
  - Indocin (indomethacin)
  - Voltaren (Diclofenac Sodium)
  - Cataflam (Diclofenac potassium)
  - Relafen (Nabumetone)
  - Daypro (Oxaprozin)
  - Duexis
  - Vimovo
- If you are on one of the weight loss medications listed below the medication must be stopped **2 WEEKS BEFORE SURGERY:**
  - Adipex- P
  - Lomaira
  - Suprenza
  - Phentermine
  - Phentermine Hydrochloride
  - Phentermine Topiramate